



National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





National Highway Traffic Safety Administration

PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU 49

CASE NO. 613P

TYPE OF ACCIDENT Car/Pedestrian/Crossing road straight

A DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers.</u>)

VI was traveling south in the right lane of a four-lane undivided asphalt street in a school zone, approaching a pedestrian crosswalk. Two pedestrians were traveling west in the crosswalk. A mother (613P - P1) was running along the crosswalk holding the hand of her son (614P - P1) who was running slightly ahead of her. VI struck the mother with the front-right third of the vehicle and the child with the front-right corner of the vehicle. The pedestrians were knocked to the pavement, the mother to the front of the vehicle and the child forward and to the right of the vehicle. The vehicle stopped a short distance south of impact, still in the right lane. The driver of VI transported both pedestrians to hospitals where they were treated and released. VI was driven.

B. PEDESTRIAN PROFILE									
Pedestrian No.	A ===	0-	Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
140.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source		
01	31	Female	Treated and released	hie	CONTUSION	١	37111		

Podu Parlan	_				
Body Region	Type of Anatomic Structure	Abbreviated Injury Scale			
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity 			


	C. VEHICLE PROFILE							
Vehicle	Class		В	Most Severe Damage ased on Vehicle Inspection	•			
No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description	•			
01	Compact car	90/Pontiac/Grand Am	Front	No apparent damage				

DO NOT SANITIZE THIS FORM



ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety
Administration
NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM




HS Form 431B (1/95)

Scale: 1 centimeter = 25 meters



ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety Administration





PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number 49	_	Ca	ase Numbe	r-Stratum 6 13 P
PEDESTRIAN ACCIDENT CO	LLISION DATA (COLLECTION		SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	ASP	* no	orth arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	-		ade measurements for all applicable adways
a) vehicle skid marks	Coefficient of Fri	ction <u>/60</u>		aled representations of the physical plant cluding:
b) pedestrian contacts with ground or object c) vehicle/pedestrian point of impact (POI)	Grade (v/h) Mea	- T/122		all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) betwee final re	in impact and $\frac{-4/_{12}}{}$	pe pe	aled representations of the vehicle and destrian at pre-impact, impact, and final at based upon either:
final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	el Direction W	a)	physical evidence, or
a) all road/roadway defineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.) b) all traffic controls (e.g., lights, signs)	Vehicle Travel D Number of Trave	7	b)	reconstructed accident dynamics
Reference Point: PROJECTION O	E NORTH	Reference Line:	e E o	E STREET
ltem		Distance and Dire from Reference I		Distance and Direction from Reference Line
NO EVIDENCE				
77	· · · · · · · · · · · · · · · · · · ·			
L				

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

. Primary Sampling Unit Number	49
--------------------------------	----

2. Case Number - Stratum

6 13 P

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400

Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

SS15 Administrative Use

7. _____SS16 Pedestrian Crash Data Study 1

8. SS17 Impact Fires

SS18 0

SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

<u>0 1</u>

0

0

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS								
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage		
12. <u>0 1</u>	13. <u>0 1</u>	14. 02	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>		

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

Administration

National Highway Traffic Safety

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 10. Pedestrian's Weight Code actual weight to the nearest 13 P kilogram. 2. Case Number - Stratum (999) Unknown 129 pounds X .4536 = 54 kilograms Pedestrian Number PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 4. Pedestrian's Age 11. Pedestrian Attitude Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouching (3) Kneeling (97) 97 years and older (4) Bending at waist (99) Unknown (8) Other (specify):____ (9) Unknown 5. Pedestrian's Sex 12. Pedestrian Motion (1) Male (2) Female - not reported pregnant (0) Not moving (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running or jogging (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping 68 (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify): centimeter. (9) Unknown (999) Unknown e inches X 2.54 = 1 68 centimeters 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest (03) Moving in road, with traffic centimeter. (04) Moving in road, against traffic (999) Unknown (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway 8. Pedestrian's Height - Ground to Hip (09) Off road, moving along driveway Code to the nearest (98) Other (specify): centimeter. (99) Unknown (999) Unknown 36 inches $\times 2.54 = 91$ centimeters 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to **Avoidance Actions** 9. Pedestrian's Height - Ground to Shoulder (1) Facing vehicle Code to the nearest (2) Facing away centimeter. Left side to vehicle (999) Unknown (3) Right side to vehicle (4) 56 inches $\times 2.54 = 142$ centimeters (8)Other (specify): Unknown

DEDECTRIANIC AVOIDANCE ACTIONS	
PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
7	(01) At sides
15. Pedestrian's First Avoidance Actions	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
` '	
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets One or both arms: (06) Extended upward (07) Extended to side (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.)
(03) Ran away (along vehicle path)	L horris
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
(06) Turned away from vehicle	(07) Extended to side
(07) Dove or fell away	(08) Extended forward bracing
(07) Dove of left away	(00) Extended holding chiest
Head to WA	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
· · · · · · · · · · · · · · · · · · ·	
(99) Unknown	(99) Unknown
	19. Pedestrian's Leg Orientation
·	at Initial Impact
PEDESTRIAN'S ORIENTATION AT IMPACT	(01) Together
TESESTRIAN S ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
	(05) Apart-forward leg unknown
16. Pedestrian's Head Orientation	
at Initial Impact	(06) Left foot off the ground
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
, ,	(98) Other (specify):
(3) To right	(99) Unknown
(4) Up	= 1
(5) Down	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
17. Pedestrian's Body (Chest) Orientation	(04) Passed over vehicle top
at Initial Impact	(05) Thrown straight forward
· · · · · · · · · · · · · · · · · · ·	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	(08) Knocked to pavement, forward
(3) Left side to vehicle	(09) Knocked to pavement, left of vehicle
(4) Right side to vehicle	(10) Knocked to pavement, right of vehicle
(8) Other (specify):	
(9) Unknown	(11) Knocked to pavement, run over or
• /	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown

OFFICIAL RECORDS		INJURY CONSEQUENCES
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 	0	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	96	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: P.A.R.		Nonfatal (3) Hospitalization (4) Transported and released
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	0	(4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify):	0	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
		28. Hospital Stay (00) Not Hospitalized
		Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

rational Accident Sampling System-Stashworthiness De	· · ·
STOP - VARIABLES 30 THROUGH 37 A	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death 36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this pedestrian's death
31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given 32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured	(96) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled disease) (specify):
(00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	(99) Unknown 37. Number of Recorded Injuries for
Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(97) Injured, details unknown (99) Unknown if injured
	OS INCLUDED WITH INITIAL SUBMISSION? YES []
	? NO[] YES[1

Administration

U.S. Department of Transportation
National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved
O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

49

3. Pedestrian Number

0 1

2. Case Number - Stratum

<u>6 / 3 p</u>

4. Blank

<u>_X_X</u>

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


				AIS-90					Injury				
	Spurce of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5. 3	68	<u>,, 4</u>	8. <u>04</u>	9. <u>02</u>	- 10	11/	12. <u>70</u> 3	13	14.]	15.2	16	17
2nd	18. 2	19.2	20.9	.21. <u>0</u> <u>2</u>	-22. <u>0 Z</u>	- 23. [24. 8	25. <u>9 47</u>	26	27.]_	28. <u>C</u>	29.0	30.O
3rd	31.2	32. <u>/</u>	33. <u>6</u>	34. <u>0</u> 4	35. <u>99</u>	36	37	38. <u>9.47</u>	39. <u>/</u>	40. 🧘	41. <u>0</u>	42. 💆	43 2_
4th	44.	45	46	47	48	49	50	51	52	53	54	55	56
5th	57	58	59	60	61.	62	63	64	65	66	67	68	69
6th	70	71	72	73	74	75	76	77	78	79	80	81	82
7th	83	84	85	86	87	88	89	90	91	92	93	94	95
8th	96	97	98	99	100	101	102	103	104	105	106	107	108
9th	109	110:	111	112	113	114	115	116	117	118	119	120	121
10th	122	123	124	125	126	127	128	129	130	131	132	133	134
			•										

HS Form 0435I (10/95)

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

**	-				PEDES	STRIA	UNI V	URY DAT	Ά				
of	ource Injury Oata	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th 12th		<u>-</u>									<u>-</u>	_	- - -
13th _ 14th _ 15th _		— —				<u>-</u>					- -	— —	_
16th 17th 18th										-		<u>-</u>	- - -
19th _ 20th _ 21st _						-			— —	 -	——————————————————————————————————————	_	
22nd _ 23rd _			-			-			- - - - - - - -		_ _	— —	_ _
24th _ 25th _		_	_			_		<u>-</u> -	<u> </u>	<u> </u>	_	_	_

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



SOURCE OF INJURY DATA INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE (0) Injury not from vehicle contact (1) No damage/contact Certain **OFFICIAL** Probable (1) Autopsy records with or without hospital/ Possible Scratch (Scuff, Cloth Transfer, Smear) medical records Unknown (3) (2) Hospital/medical records other than Large deformation emergency room (e.g., discharge DIRECT/INDIRECT INJURY Cracked, fractured, shattered Separated from vehicle Noncontact injury (5) summary) Direct contact injury (6)(3) Emergency room records only (including Indirect contact injury associated X-rays or other lab reports) Noncontact injury Other specify: (8) injured, unknown source Private physician, walk-in or emergency Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) **UNOFFICIAL** (0) Injury not from vehicle contact (1) (2) (5) Lay coroner report No residual damage (6) E.M.S. personnel Rounded (contoured) Surface only damage Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters (4) (5) (8) (3) Rounded edge (7) Interviewee (4) Sharp edge Other (specify): (8) Other source (specify): (5) Crush depth >5 to 10 centimeters Other specify:_ (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region Specific Anatomic Structure** Abbreviated Injury Scale (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration Minor injury Moderate injury Head (2) (3) (4) (5) (06) Lumbar Face Neck (3) Serious injury Thorax Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (4) Severe injury Abdomen (08) Skin - Avulsion (5) Critical injury (6) (7) Spine (10) Amputation (20) Burn Maximum (untreatable) Upper Extremity Injured, unknown severity Lower Extremity Crush (30) Level of Injury Unspecified (40) Degloving Aspect (50) Injury - NFS (90) Trauma, other than mechanical Specific injuries are consecutive two-digit beginning with 02. assigned Type of Anatomic Structure Right Left numbers (2)Whole Area (3) Bilateral (02) Length of LOC (04, 06, 08) Level of Consciousness Vessels To the extent possible, within the organizational framework of the AIS, 00 (4) (5) Central Anterior (3) (4) Organs (includes muscles/ (10) Concussion is assigned to an injury NFS as to Posterior (6) severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. ligaments) Skeletal (includes joints) (7) (8) Superior Inferior (6) (9) Head - LOC Unknown Skin Whole region **INJURY SOURCE** Wheels / tires 790 Left front wheel / tire 700 Front bumper 744 B pillar 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle Undercarriage components 800 Front crossmember 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing 708 Turn signal/parking lights 753 Right side folding mirror 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object (specify):_ 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 762 Hatchback, vertical surface 726 D pillar (specify): 768 Other back component 728 Other pillar 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 734 Left side glazing forward of B pillar 824 Luggage, ski, or bike rack component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ 776 Front header (specify): 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 741 Front antenna 781 Rear trunk lid 959 Unknown object on contacting vehicle 742 A1 pillar 788 Other top component (specify): ___ 997 Noncontact injury source 743 A2 pillar 789 Unknown top component 999 Unknown injury source

OFFICIAL INJURY DATA — SKELETAL INJURIES

Restrained?

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are

unavailable.)

Blood Alcohol Level

(mg/dl)

Glasgow Coma Scale Score

$$GCSS = 6$$


Units of Blood Given


Units =

Arterial Blood Gases

PO2 = PCO₂


HCO₃





OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number 49	OFFICIAL RECORDS
2. Case Number - Stratum 6 1 3- P	9. Police Reported Travel Speed 9999
3. Vehicle Number <u>0 1</u>	Code to the nearest kmph (NOTE: 000 means
	less than 0.5 kmph) (160) 159.5 kmph and above
VEHICLE IDENTIFICATION	(999) Unknown
4. Vehicle Model Year Code the last two digits of the model year	mph X 1.6093 = kmph
(99) Unknown	10. Speed Limit (000) No statutory limit
72	Code posted or statutory speed limit in kmph (999) Unknown SCHooL そかど
5. Vehicle Make (specify): 22 Applicable codes are found in your	20 mph X 1.6093 = 32 kmph
NASS PCDS Data Collection, Coding and Editing Manual.	
(99) Unknown	11. Police Reported Alcohol Presence For Driver (0) No alcohol present
51.0	(1) Yes alcohol present (7) Not reported (8) No driver present
6. Vehicle Model (specify): GRAND AN Applicable codes are found in your	(9) Unknown
Applicable codes are found in your NASS PCDS Data Collection, Coding and Editing Manual.	12. Alcohol Test Result For Driver
(999) Unknown	Code actual value (decimal implied before first digit—0.xx) (95) Test refused
7. Body Type	(96) None given (97) AC (Alcohol Content) test
Note: Applicable codes may be found on the back of this page.	performed, results unknown (98) No driver present
8. Vehicle Identification Number	(99) Unknown Source: P.A.Z.
162 NEL 4UBLC	13. Police Reported Other Drug Presence
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	For Driver (0) No other drug(s) present
Left justify; Slash zeros and letter Z (Ø and Z) No VIN—Code all zeros	(1) Yes other drug(s) present(7) Not reported(8) No driver present
Unknown—Code all nines	(9) Unknown
	14. Other Drug Specimen Test Result For Driver
	(0) No specimen test given(1) Drug not found in specimen(2) Drug found in specimen
	(specify):(3) Specimen test given, results
•	unknown or not obtained (8) No driver present
	(9) Unknown
I	, I

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500.)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)</p>
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer (69) Truck-tractor pulling two or more trailer
- (69) Truck-tractor pulling two or more trailers(70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

Ł	VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15.	Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown 38 2592 lbs X .4536 = 1,136 kgs	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above (999) Unknown
16.	Vehicle Cargo Weight Code weight to nearest 10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown Ibs X .4536 =, kgs	 (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation (3) Driver/witness/police estimates
		PRECRASH DATA
	Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	(Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning right (10) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

23. Critical Precrash Event	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
(00)	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	10.0
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(O2) Braking (no lockup)
(16) Turning right at intersection	(O3) Braking (lockup)
(17) Crossing over (passing through) intersection	(O4) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left
(i.e., lower steady speed or decelerating)	(09) Braking and steering right
(52) Traveling in same direction with higher speed	(10) Accelerating
(53) Traveling in opposite direction	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	(33) GIRIOWII
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction)—over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction) – over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30
(62) From opposite direction—over left lane line	degrees
(63) From opposite direction—over right lane line	(4) Skidding laterally—clockwise rotation
(64) From parking lane	(5) Skidding laterally—counterclockwise rotation
(65) From crossing street, turning into same direction	(8) Other vehicle loss-of-control (specify):
(66) From crossing street, turning into same direction	
- · · · · · · · · · · · · · · · · · · ·	(9) Precrash stability unknown
(67) From crossing street, turning into opposite direction	26 Prograph Directional Concessional 2
	20. Freciasii Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action)
(70) From driveway, turning into same direction	(0) No driver present
(71) From driveway, across path	(1) No avoidance maneuver
(72) From driveway, turning into opposite direction	(2) Vehicle stayed in travel lane where avoidance
(73) From driveway, intended path not known	maneuver was initiated
(74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane where avoidance maneuver was initiated
(78) Encroachment by other vehicle—details	
ynknown	(4) Vehicle stayed on roadway, not known if left travel lane where avoidance maneuver was
Pedestrian or Pedalcyclist, or Other Nonmotorist	initiated
(80) Pedestrian in roadway	(5) Vehicle departed roadway
(81) Pedestrian approaching roadway	(6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(9) Directional consequences unknown

٨	ENVIRON	ENTA	AL DATA
27.	Relation to Junction (0) Non-junction (1) Interchange area Non-Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify):	33.	Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
	(6) Unknown type of non-interchange (9) Unknown if interchange	34.	Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
28.	Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown		Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing)
29.	Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown	35.	(8) Miscellaneous/other controls including RR controls (specify): (9) Unknown Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	36.	Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk
31.	Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown	37.	(9) Unknown Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Şlag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown		 (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):

49-6/3	96
49-414	
26 YOF	613 32 Y01=
	614 940 m
	X wilk
	Knowled to ground
e	Left 5, d. fore -groved
an a	A desired to the second of the
POITO JERP =	0,6m = 1,968 = 2 ft
7=0,60	
V= 725fg	
= V(2)(2)(0,6)	
	= 6mph = 9,6 KPh
	= 10 KPh
The state of the s	-/0/SPV
The second secon	

Transition in

n groa

5

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

2. Case Number - Stratum

- 3. Vehicle Number

r		110							•
м	/ I= I=	: [6	LE	151	188	13.	4	He	м

VIN LGZNEL4UPLC

Model Year 90

Vehicle Make (specify): _

PONT	· 1	
TONT	1AC	

Vehicle Model (specify): GRAND Am

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Mate

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

5	100 V
	110

cm~

cm ~

cm ~

cm ~

VERTICAL MEASUREMENTS

PEV16	Front	Bumper-Bottom	Height
-------	-------	----------------------	--------

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

_41	cm 🗸
67	

cm./

cm ~

cm,

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm v

cm~


cm V

cm v

cm~

cm

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead,


direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: _____ cm

PEDESTRIAN SIDE CONTACT WO	JRK SHEET
PEV06 Hood Material	
PEV08 Hood Length	
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	cm
PEV11 Hood Width-Rear Opening	cm
VERTICAL MEASUREMENT	s
PEV26 Ground Clearance	cm
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	cm
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
Tave Frage of Glas View Immer	
LATERAL MEASUREMENTS	
V)/	
PEV35 C _L to A-Pillar at Bottom of Windshield	cm
PEV36 C _L to A-Pillar at Top of Windshield	cm
PEV37 C _L to Maximum Side View Mirror Protrusion	cm
WRAP DISTANCES	
PEV38 Ground to Side/Top Transition	cm
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cm
PEV47 Ground to Head Contact	cm

	ORIGINAL SPECIFICATION	ONS
Wheelbase Overall Length Maximum Width Curb Weightspies 2508 Average Track Front Overhang Rear Overhang Undeformed End Width Engine Size: cyl./displ	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\times 2.54 = 457 \text{ cm}$ $\times 2.54 = 469 \text{ cm}$ $\times .4536 = 476 \text{ kg } 1138$ $\times 2.54 = 446 \text{ cm}$
FRONT 700 Front bumper 701 Front lower valance/spoiler 702 Front grille 703 Hood edge and/or trim 704 Hood ornament (fixed) 705 Hood ornament (spring loaded) 706 Headlight 707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object	INJURY SOURCE 744 B pillar 745 C pillar 746 D pillar 748 Other pillar (specify): 749 Right side roof rail 750 Right side door surface 751 Right side door handle 752 Right side mirror fixed housing 753 Right side glazing forward of B pillar 755 Right side glazing rearward of B pillar 756 Rear antenna 757 Rear fender or quarter panel 758 Other right side object (specify): 759 Unknown right side component Back Components 760 Rear (back) bumper 761 Tailgate 762 Hatchback, vertical surface 768 Other back component (specify): 769 Unknown back component Top Components 770 Hood surface 771 Hood surface 771 Hood surface reinforced by under hood component 772 Front fender top surface 773 Cowl area 774 Wiper blade & mountings 775 Windshield glazing 776 Front header 777 Roof surface 778 Backlight glazing 779 Rear header 780 Hatchback 781 Rear trunk lid 788 Other top component (specify):	Wheels / tires 790 Left front wheel / tire 791 Right front wheel / tire 792 Left rear wheel / tire 793 Right rear wheel / tire 798 Other wheel / tire (specify): 799 Unknown wheel / tire Undercarriage components 800 Front cross member 801 Steering assembly/Front suspension 802 Oil pan 803 Exhaust system pipe 804 Transmission 805 Drive shaft 806 Catalytic converter 807 Muffler 808 Floor pan 809 Fuel tank 810 Rear suspension 818 Other undercarriage component (specify): 819 Unknown undercarriage component Accessories 820 Air scoop, deflector 821 Cellular or CB radio antenna 822 Emergency lights or bar 823 Fog lights 824 Luggage, ski, or bike rack 825 Cargo (specify): 826 Spare tire 827 Spotlight 828 Other accessory (specify): Other Object or Vehicle in Environment 947 Ground 948 Other object (specify): 949 Unknown object on contacting vehicle 997 Noncontact injury source

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:

POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET CONTACT COMPONENT LONGITUDINAL LATERAL CRUSH CONFIDENCE LEVEL OF SEQUENCE ID CONTACTED LOCATION LOCATION 190 SUSPECTED SUPPORTING PHYSICAL EVIDENCE CONTACT POINT LABEL (X) (Y) CENTIMETERS **BODY REGION** (Circle) 1 2 3 9

POINTS OF PEDESTRIAN CONTACT

CHRONOLOGICAL ORDER OF CONTACTS							1
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IM CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)
1							1 2 3 9
2							1 2 3 9
3							1 2 3 9
•							1 2 3 9
5							1 2 3 9
6							1 2 3 9
7							1 2 3 9
8							1 2 3 9
9							1 2 3 9
10							1 2 3 9
11							1 2 3 9
12							1 2 3 9
13							1 2 3 9
14							1 2 3 9
15							1 2 3 9
18							1 2 3 9
17							1 2 3 9
18							1 2 3 9
19							1 2 3 9
20							1 2 3 9
21					·		1 2 3 9
22							1 2 3 9
23							1 2 3 9
24							1 2 3 9
25							1 2 3 9
	77.5.5.4						, 2, 3, 3

VEHICLE DIMENSIONS	11. Hood Width Rear Opening
4. Original Wheelbase 263 >	Code to the
Code to the	nearest centimeter (210) 210 centimeters or more
nearest centimeter (999) Unknown	(999) Unknown
•	Sackar V O EA
193.4 inches $\times 2.54 = 263$ centimeters	inches X 2.54 = centimeters
5. Original Average Track Width	12. Hood/Fender Vertical/Lateral Crush From Pedestrian
Code to the	(0) Not damaged
nearest centimeter (185) 185 centimeters or more	(1) Surface scratching only, no residual crush
(999) Unknown	(2) Minor crush (1-3 centimeters) (3) Moderate crush (4-7 centimeters)
$\underline{55.4}$ inches $\times 2.54 = \underline{141}$ centimeters	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from
2	pedestrian impact (9) Unknown
6. Hood Material 3	
(1) Plastic (2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact (0) Not contacted by pedestrian
(4) Aluminum (5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
7. Hood Original	(4) Unknown if contacted by pedestrian -
Equipment Manufacturer (OEM)	damaged
(1) OEM factory installed hood	(9) Unknown if contacted by pedestrian - unknown if damaged
(2) OEM replacement (3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the	4.5 Primary Court Material
nearest centimeter (180) 180 centimeters or more	14. Front Bumper Cover Material
(180) 180 centimeters or more (999) Unknown	(1) Plastic
	(2) Fiberglass (3) Rubber
inches X 2.54 = centimeter	(4) Other (specify):
9. Hood Width Forward Opening 136	(9) Unknown
Code to the	15. Front Bumper Reinforcement Material
nearest centimeter (210) 210 centimeters or more	(0) No front contact
(999) Unknown	(1) Steel (2) Aluminum
tachas V 0 EA	(3) Stainless Steel
inches X 2.54 = centimeters	(4) Other (specify):
10. Hood Width Midway	(9) Unknown
Code to the nearest centimeter	16. Front Bumper-Bottom Height
(210) 210 centimeters or more	Code to the
(999) Unknown	nearest centimeter (000) No front contact
inches X 2.54 = centimeters	(150) 150 centimeters or more
	(999) Unknown
	inches X 2.54 = centimeters

17.	Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	052	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown	205,
18.	inches X 2.54 = Forward Hood Opening	centimeters	24. Ground to Top of Windshield Code to the	
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown		Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown	
	inches X 2.54 =	centimeters	inches X 2.54 =	centimeters
19.	Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	09-	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown	998 × 1140 TO USE 699
	inches X 2.54 =	centimeters	(999) Unknown inches X 2.54 =	centimeters
	Front Wrap Distance Measur	ements	SIDE CONTACT DAM	AGE
~~~~~			613 17 4 144	
			Side Vertical Measuren	HELLE.
20.	Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown inches X 2.54 =		26. Ground Clearance  Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown	000
	Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	_ centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more	000

29.	Centerline of Wheel Ooc	Side Lateral Measurements
	Code to the	
	nearest centimeter	
	(000) No side contact	35. Centerline to A-Pillar
	• • • • • • • • • • • • • • • • • • • •	at Bottom of Windshield
	(150) 150 centimeters or more	(000) No side contact
	(999) Unknown	Code to the
	inches X 2.54 = centimeters	nearest centimeter
		(250) 250 centimeters or more
	_	(999) Unknown
30	Top of Tire	
00.	Code to the	inches X 2.54 = centimeters
	nearest centimeter	
	(000) No side contact	36. Centerline to A-Pillar
	(200) 200 centimeters or more	
	(999) Unknown	at Top of Windshield
		Code to the
	inches X 2.54 = centimeters	nearest centimeter
		(000) No side contact
		(250) 250 centimeters or more
0.4	T	(999) Unknown
31.	Top of Wheel Well Opening	(occ) cindicatin
	Code to the	inches X 2.54 = centimeter
	nearest centimeter	inches X 2.54 = centimeter
	(000) No side contact	
	(250) 250 centimeters or more	
	(999) Unknown	37. Centerline to Maximum Side
	(000) Chikhowh	View Mirror Protrusion
		Code to the
	inches X 2.54 = centimeters	nearest centimeter
		(000) No side contact
32.	Bottom of A-Pillar at Windshield	(300) 300 centimeters or more
	Code to the	
	nearest centimeter	(999) Unknown
	(000) No side contact	
	(250) 250 centimeters or more	inches X 2.54 = centimeter
	(999) Unknown	
	(SSS) STIRTISWIT	
	tacker V O PA	Side Wrap Distance Measurements
	inches X 2.54 = centimeters	
		38. Ground to Side/Top Transition
33.	Top of A-Pillar at Windshield	Code to the
	Code to the	nearest centimeter
	nearest centimeter	(000) No side contact
	(000) No side contact	
	(300) 300 centimeters or more	(400) 400 centimeters or more
	(999) Unknown	(999) Unknown
	1000/ UTINITOWIT	
		inches X 2.54 = centimeters
	inches X 2.54 = centimeters	
		39. Ground to Hood Edge
34.	Top of Side View Mirror	Code to the
	Code to the	<del></del>
	nearest centimeter	nearest centimeter
	(000) No side contact	(000) No side contact
		(500) 500 centimeters or more
	(300) 300 centimeters or more	(999) Unknown
	(999) Unknown	
		inches X 2.54 = centimeters
	inches X 2.54 = centimeters	

40.	(000) (700)	d to Centerline of Hood Code to the nearest centimeter No side contact 700 centimeters or more Unknown	000		
		inches X 2.54 =	_ centimeters		
41.	(000) (800) (998)	d to Head Contact Code to the nearest centimeter No side contact 800 centimeters or more No head contact Unknown	000		
		inches X 2.54 =	_ centimeters		•
				•	
					·



49613P00000011 0000000000000000 01 958.0510000000000102F72000 49613P00010012 49613P00010021 8.05 0000000003121684109114205413014001409070809600141009715 1010000000003 49613P00010131 8.05 00000000038904021170211311 49613P00010231 8.05 00000000032902021894711000 49613P00010331 8.05 00000000031604991094711000 99903209600114000001 49613P01000041 8.05 0000000009022018021G2NE14U0LC 01140180022231411224211 49613P01000051 8.05 0000000002631413111813613813800110410520750908208220020 

PSU49 CASE 613P

0000000000000

CURRENT VERSION: 8.05

## ERROR SUMMARY SCREEN PEDESTRIAN STUDY



• •	UMBER OF OLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0 .	Y
Pedestrian Assessment	ō	ō	Ö	Ý
Pedestrian Injury	O	0	0	Υ
Pedestrian General Vehicle	O	0	0	Υ
Pedestrian Exterior Vehicle	e O	0	O	Υ
Total Inter Errors		0	0	
Total Case Errors	o	o	O	